

# S/ ROW RIGHT ANGLE BREAKAWAY HEADER




## 5072 SERIES. 5.08mm(0.200"). Square Pin. For PCB Solder

### Features

- Available in 2 through 20 circuits
- Insulator Material: LCP UL 94V-0
- 1.14mm(.045") square pin in tinned brass
- Easy breakaway to desired circuits
- Mates with 5070 series headers
- With standoff minimise flux retention

### Dimensional Information



### Ordering and Dimensional Information

Circuit Size	Part Number	Dimensions	
		A	B
02	<b>5072- 2021</b>	5,08(0,200)	10,16(0,400)
03	<b>5072- 2031</b>	10,16(0,400)	15,24(0,600)
04	<b>5072- 2041</b>	15,24(0,600)	20,32(0,800)
05	<b>5072- 2051</b>	20,32(0,800)	25,40(1,000)
06	<b>5072- 2061</b>	25,40(1,000)	30,48(1,200)
07	<b>5072- 2071</b>	30,48(1,200)	35,56(1,400)
08	<b>5072- 2081</b>	35,56(1,400)	40,64(1,600)
09	<b>5072- 2091</b>	40,64(1,600)	45,72(1,800)
10	<b>5072- 2101</b>	45,72(1,800)	50,80(2,000)
11	<b>5072- 2111</b>	50,80(2,000)	55,88(2,200)
12	<b>5072- 2121</b>	55,88(2,200)	60,96(2,400)
13	<b>5072- 2131</b>	60,96(2,400)	66,04(2,600)
14	<b>5072- 2141</b>	66,04(2,600)	71,12(2,800)
15	<b>5072- 2151</b>	71,12(2,800)	76,20(3,000)
16	<b>5072- 2161</b>	76,20(3,000)	81,28(3,200)
17	<b>5072- 2171</b>	81,28(3,200)	86,36(3,400)
18	<b>5072- 2181</b>	86,36(3,400)	91,44(3,600)
19	<b>5072- 2191</b>	91,44(3,600)	96,52(3,800)
20	<b>5072- 2201</b>	96,52(3,800)	101,60(4,000)